

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16	(secure near3 message) same attach\$5 same (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:00
S3	1	(secure near3 message) same ((first and second) near3 attach\$5) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 20:54
S4	6	(secure near3 message) same (mobile adj2 (terminal or device or station)) and ((first and second) near3 attach\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 20:55
S5	9	(secure near3 message) and (mobile adj2 (terminal or device or station)) and ((first and second) near3 attach\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 20:57
S6	3	S5 not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 20:55
S7	2	(secur\$3 near3 message) same (mobile adj2 (terminal or device or station)) same server and ((first and second) near3 attach\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 20:58
S8	16	(secure near3 message) same attach\$5 same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:00
S9	6	(secure near3 message) same attach\$5 same (mobile adj2 (erminal or device or station)) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:03
S10	1	(secure near3 message) same (second near3 attach \$5) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:04

S11	13	(secure near3 message) and (second near3 attach\$5) and (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:15
S12	1	(secure near3 message) same (second near3 attach \$5) and (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:05
S13	6	(secure near3 message) and (second near3 attach\$5) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:23
S14	307	secure same (message near3 attach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:23
S15	39	secure same (message near3 attach\$4) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:23
S16	50	secur\$3 same (message near3 attach\$4) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:43
S17	8	secur\$3 same (message near3 attach\$4) same (mobile adj2 (terminal or device or station)) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:44
S18	50	secur\$4 same (message near3 attach\$4) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:44
S19	48	secur\$3 same (message near3 attach\$4) same (mobile adj2 (terminal or device or station)) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:54
S20	40	S19 not S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:45

S21	1	secur\$3 same (second near3 (message near3 attach\$4)) same (mobile adj2 (terminal or device or station)) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 21:54
S22	4	secur\$3 and(second near3 (message near3 attach\$4)) same (mobile adj2 (terminal or device or station)) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:09
S23	5	(second near3 (message near3 attach\$4)) same (mobile adj2 (terminal or device or station)) and server and (secur\$3 or authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:21
S24	2	(second near3 (message near3 attach\$4)) same (mobile adj2 (terminal or device or station)) same (secur\$3 or authenticat\$3) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:22
S25	9	(second near3 (message near3 attach\$4)) same (secur\$3 or authenticat\$3) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:23
S26	70	((message near3 attach\$4)) same (secur\$3 or authenticat\$3) same (mobile adj2 (terminal or device or station)) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:26
S27	12	((message near3 attach\$4)) same (secur\$3 or authenticat\$3) same (mobile adj2 (terminal or device or station)) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:55
S28	58	S26 not S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:25
S29	16	S28 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:25
S30	2	((secur\$3 or authenticat\$3) near3 message) same (second near3 attach\$4) same (mobile adj2 (terminal or device or station)) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:27

S31	3	(second near3 attach\$4) same server same (secur\$4 near3 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 22:57
S32	7	(second near3 attach\$4) same (secur\$4 near3 message) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:23
S33	3	(second near3 attach\$4) same within same (secur\$4 near3 message) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:26
S34	6847	(secur\$4 near3 message) same message and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:26
S35	2325	(secur\$4 near3 message) same message same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:27
S36	130	(secur\$4 near3 message) same message same server same (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:27
S37	50	message same within same (secur\$4 near3 message) same server same (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:29
S38	1	message same within same (secur\$4 near3 message) same server same (mobile adj2 (erminal or device or station)) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:28
S39	130	message same (secur\$4 near3 message) same server same (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:01
S40	12	message same (secur\$4 near3 message) same server same (mobile adj2 (erminal or device or station)) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:47

S45	34	message same (secur\$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and symmetric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:50
S47	6	message same (secur\$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and symmetric and asymmetric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 23:52
S48	4	message same (secur\$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and symmetric and asymmetric and mime	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:05
S49	60	message same (secur\$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and mime	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:05
S50	60	message same (secur\$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and mime	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:07
S51	21	message same (secur\$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and (secure near3 layer) and encryption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:07
S52	25	message same (secur\$4 near3 message) same server same (mobile adj2 (terminal or device or station)) and (secure near3 layer) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:55
S53	7618	secur\$4 same (second near3 attachment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:56
S54	1	secur\$4 same (second near3 attachment) same server same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:57
S55	1	secur\$4 same (second near3 message near3 attachment) same server same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:57

S56	1	secur\$4 same (second near3 message near3 attachment) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 00:57
S57	3	secur\$4 same (second near3 message near3 attachment) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:00
S58	1	(secur\$4 near3 message) same (second near3 attachment) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:00
S59	5	attach\$4 same (secur\$4 near3 message) same server same (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:01
S60	20	attach\$4 same (secur\$4 near3 message) same server and (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:08
S61	15	S60 not S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:02
S62	6	((secur\$4 near3 message) near3 attach\$4) same server and (mobile adj2 (erminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:11
S63	25	((secur\$4 near3 message) near3 attach\$4) same (text or document or audio or image or video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:15
S65	20	((secur\$4 near3 message) near3 attach\$4) same (text or document or audio or image or video) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:17
S66	16	((secur\$4 near3 message) near3 attachment) same (text or document or audio or image or video) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/13 01:17

S67	320	server same (secur\$4 adj messag\$4) same process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 18:08
S68	16	server same (secur\$4 adj messag\$4) same process\$4 same attach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 18:10
S69	0	server same (secur\$4 adj messag\$4) same process\$4 same attach\$5 and "370". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 18:10
S70	1217	secure near5 second near5 attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:02
S71	4	(secure near5 second near5 attachment) same ((mobile or wireless) near3 (station or terminal or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:02
S73	1	secure near5 message near5 second near5 attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:04
S74	1	secure near5 message near5 second near5 attachment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:04
S75	1	secure near5 second near5 attachment same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:04
S76	1	(secure near5 second near5 attachment) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:06
S77	1	(second near3 attachment) same server same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:07

S78	102	(second near3 attachment) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:07
S79	17	(second near3 attachment) same server and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:08
S80	733	(attachment) same server same ((mobile or wireless) near3 (station or terminal or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:19
S81	56	(attachment) same server same ((mobile or wireless) near3 (station or terminal or device)) same (secure or security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:19
S82	14	(second adj attachment) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:25
S83	34	(second adj2 attachment) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:27
S84	1	(secure or security) same (second adj attachment) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:30
S85	2	(secure or security) same (second adj2 attachment) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:30
S86	13	(second adj2 attachment) same server and (secure or security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 19:31
S87	6	(second adj2 attachment) same server and (secure or security) and ((mobile or wireless) near3 (station or terminal or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 21:56



S88	526	request\$4 same attachment same ((mobile or wireless) near3 (station or terminal or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 21:39
S89	69	request\$4 near5 attachment near5 ((mobile or wireless) near3 (station or terminal or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 21:39
S90	53	request\$4 same attachment same ((mobile or wireless) near3 (station or terminal or device)) same (secure or security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 21:40
S91	168	attachment same server same request same ((wireless or mobile) near3 (station or device or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:46
S92	66	(request\$3 near3 attachment) same server same ((wireless or mobile) near3 (station or device or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:46
S93	2	(request\$3 near5 attachment) same server same secure same ((wireless or mobile) near3 (station or device or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 17:47
S94	22	(request\$3 near3 attachment) same server same secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 12:16
S95	23	(request\$3 near5 attachment) same server same secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 12:18
S96	8	(request\$3 same attachment) same server same secure same ((wireless or mobile) near3 (station or device or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 12:19
S97	187	(request\$3 same attachment) same server same ((wireless or mobile) near3 (station or device or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 12:21

S98	66	(request\$3 near3 attachment) same server same ((wireless or mobile) near3 (station or device or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 12:22
S99	2	(request\$3 near3 attachment) same secure same ((wireless or mobile) near3 (station or device or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 13:35
S100	2	(request\$3 near5 attachment) same secure same ((wireless or mobile) near3 (station or device or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 13:52
S101	13	S98 and (@ad< "20040322" or @rlad< "20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 14:11
S102	40	(request\$3 near5 attachment) same secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 14:24
S103	32	S102 and (@ad< "20040322" or @rlad< "20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 14:24
S104	32	S103 not S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 14:24
S105	2	(request\$3 near5 attachment) same secure same ((wireless or mobile) near3 (station or device or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 15:58
S106	59	(request\$3 near3 attachment) same ((wireless or mobile) near3 (station or device or terminal)) and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 16:12
S107	26	S106 and (@ad< "20040322" or @rlad< "20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/19 16:13

S108	1	(secure near3 message) same ((first and second) near3 attach\$5) same (mobile adj2 (terminal or device or station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 23:11
S109	1588	(session near3 key) same server same decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 16:58
S110	1482	(session adj3 key) same server same decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 16:58
S111	62	(session adj3 key) same server same decrypt\$4 same ((wireless or mobile) near3 (station or device or terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 16:59
S112	19	(session adj3 key) same server same decrypt\$4 same ((wireless or mobile) near3 (station or device or terminal)) and (@ad<"20040322" or @rlad<"20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 17:00
S113	10	email same (session adj3 key) same ((wireless or mobile) near3 (station or terminal or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 12:50
S114	4	S113 and (@ad<"20040322" or @rlad<"20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 12:50
S115	110	(session adj3 key) same ((wireless or mobile) near3 (station or terminal or device)) same server and email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 12:53
S116	26	(session adj3 key) same ((wireless or mobile) near3 (station or terminal or device)) same server same email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 12:54
S117	9	S116 and (@ad<"20040322" or @rlad<"20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 12:54

S118	523	(receipient or receiver) same (transmi\$6 or send\$4) same (session adj3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:30
S119	1	(receipient or receiver) near3 (transmi\$6 or send\$4) near3 (session adj3 key) same server and((wireless or mobile) near3 (station or terminal or device)) and e \$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:31
S120	5	(receipient or receiver) near3 (transmi\$6 or send\$4) near3 (session adj3 key) same server and e\$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:31
S121	969	(transmi\$6 or send\$4) near3 (session adj3 key) same server and e\$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 20:01
S122	52	(transmi\$6 or send\$4) near3 (session adj3 key) same server same e\$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 20:02
S123	21	S122 and (@ad<"20040322" or @rlad<"20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 20:02
S124	15	(receipient or receiver) near3 (transmi\$6 or send\$4) near3 (session adj3 key) and server and e\$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 20:04
S125	10	S124 and (@ad<"20040322" or @rlad<"20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 20:04
S126	20	(recipient or receiver) near3 (transmi\$6 or send\$4) near3 (session adj3 key) same server and e\$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 21:19
S127	13	S126 and (@ad<"20040322" or @rlad<"20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 21:20

S128	53	(recipient or receiver) near3 (transmi\$6 or send\$4) near3 (session adj3 key) and server and e\$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 21:34
S129	33	S128 not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 21:34
S130	31	S129 and (@ad< "20040322" or @rlad< "20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 21:34
S131	28	((wireless or mobile) near3 (station or terminal or device or phone)) near3 (transmi\$6 or send\$4) near3 (session adj3 key) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 21:51
S132	16	((wireless or mobile) near3 (station or terminal or device or phone)) near3 (transmi\$6 or send\$4) near3 (session adj3 key) same server and e \$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 21:51
S133	7	S132 and (@ad< "20040322" or @rlad< "20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 21:52
S134	138	(transmi\$6 or send\$4) near3 (session adj3 key) near3 server and e\$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 21:54
S135	65	(transmi\$6 or send\$4) near3 (session adj3 key) near3 server and e\$mail and ((wireless or mobile) near3 (station or terminal or device or phone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 21:54
S136	50	S135 and (@ad< "20040322" or @rlad< "20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 21:55
S137	130	secure same open same attachment same automatic \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 23:24

S138	95	S137 and (@ad<"20040322" or @rlad<"20040322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 23:24
S139	2	(secure near3 message) same open same attachment same automatic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 23:24

**EAST Search History (I nterference)**

&lt; This search history is empty &gt;

**4/ 12/ 2010 3:17:38 AM**
**C:\ Documents and Settings\ jajayi\ My Documents\ EAST\ Workspaces\ Message Attachments  
(10805932).wsp**